


**URUTU CENTRAL AIR VENT-CLOCK BEZEL
(MASERATI GRANTURISMO 2008-2017)**



INSTALLATION INSTRUCTIONS

Required / recommended Tools:

- Socket Driver or electric drill
- Allen/Hex Wrench various sizes
- Plastic Pry-Trim removal tools



- Small Flashlight
- Painters tape (optional)

Tips & Tricks:

- Ensure you have the tools required before embarking on this project
- Protect the edges of the trim and panels with painter's tape to ensure you do not scratch or damage surfaces as you remove them.
- Use this opportunity to clean areas that are not normally accessible

Installation steps:

- 1) Using a plastic pry tool remove the larger trim piece that sits horizontally across the dash, this is a metal piece coated with different finishes, it will not break or bend (it is held in place with pressure clips)




2) Remove the screws that were behind the large trim just removed



3) Now that the clock trim is exposed, and the bottom screws removed use a pry tool to pull the clock assembly out and disconnect the clock wire (the upper section is held in place by pressure clips)



4) Remove the 3 metal clips, the air vents and the clock from the OEM assembly and transfer over to the URUTU clock bezel



5) Connect the clock wire, press the entire assembly back into place and ensure the fit is flush



6) Put all screws back in the original place, and press the larger trim back into place



7) End